

DOOR SPECIFICATIONS

PIRTE METAL

Customer :



Charlier : Affaire 1390 : ITER
Bâtiment : B37
Level : Ground Floor L1


Door Number : 63-37-L1-
DO-0017 - (P12)

Location : PBD 26 area


Clear Passage Wall :
Width : 2000 mm
Height : 2785 mm

Clear Passage Validated :
Width : 1995 mm
Height : 2772 mm

Clear passage Width : (180°) : 920+920=1840mm
Clear passage Width : (90°) : 1802 mm
Clear passage Height : 2694 mm



Ind 0 Date : 27/09/2021 Ind 2 Date : 07/08/2023
Ind 1 Date : 25/01/2023



Equipments	Réf :	n° MSF
1 Handle to Stainless steel	PFX	37-0025
2 Panic Lock 3pts	TCAA	37-0026
3 Panic Bar	BA1	37-0025
4 European Cylinder Lock 45x10	C2	
5 Cremone bolts	BA33	37-0029
6 Door closer (OPPOSIT Hinges)	TS83	37-0027
7 Close Selector	SF1	
8 Opening Detector NFA2P / On each Leaf 1	OPNFA	37-0028
9 End stop	AC14	1

Bon pour accord le : 8/08/23
Nom + Signature : *SRRESSEQUE*
Une validation est Définitive et aucune modification ne pourra être accordée.

SUPPLIER DRAWING NO.
DBC_EXE_DS_37_0046 (a)

ISSUER SUPPLIER :



PIRTE METAL

04 0
REV. VER.

CONFIDENTIAL
© Fusion for Energy 2008
This drawing is not authorized without the express written agreement of Fusion for Energy



PBS.63.37.

CONSTRUCTION DESIGN

Doors Specification - DO-0017 - P12

Note : See to Doors Schedules :
ARCHI-DBC-MRR-GL-37-0006

NUMBER
0046

DOC TYPE
DS

LIBRARY
EXE

ISSUER ID
DBC

SCALE
N/A

SHEET SIZE
A3

REVISION
04.0

SHEETS
10-20