

DOOR SPECIFICATIONS

63-37-L1-
DO-0004 - (P4)

Door
Number :

63-37-L1-
DO-0004 - (P4)

Customer :



Chantier : Affaire 1390 : ITER
Bâtiment : B37

Location :

HNB Deck Hall 2

Clear Passage Wall :
Width : 1100 mm
Height : 2785 mm

Real clear Passage Wall : Date
Width : mm
Height : mm



Clear Passage Validated :
Width : 1095 mm
Height : 2770 mm

Clear passage Width : (180°) : 945 mm
Clear passage Width : (90°) : 926 mm
Clear passage Height : 2692 mm

Support :
Metallic Structure

Ind : 0 Date : 27/09/2021
Ind : 1 Date : 25/01/2023

Ind : 2 Date : 19/05/2023
Ind : 3 Date : 07/08/2023



Brand's Door	PORTEMETAL
MSF : 37-0009	PREMIUM FONO - RC2
Door Performance : Fire Rating EI 90 25 dB	Frame type : TUNNEL
Opening side	RIGHT Hand
RAL :	7022

Equipments	Ref :	n° MSF
1 Without Handle side hinges		
2 Panic Lock 1pt	S2F	37-0026
3 Panic Bar	BA1	37-0025
4 Without European Cylinder Lock		
5		
6 Door closer (OPPOSIT Hinges)	TS83	37-0027
7 Opening Detector NFA2P	CPNFA	37-0028
8 End stop	AC14	(X) 2
9 1 Magnetic stop	9874M	(2)

Bon pour accord le : 8/08/2023
Nom + Signature : SGRASSEQUE
Une validation est Définitive et aucune modification ne pourra être accordée.

SUPPLIER DRAWING NO. DBC_EXE_DS_37_0046 (a)		04 0		CONFIDENTIAL © Fusion for Energy 2009 Reproduction or dissemination of this drawing without the written agreement of Fusion for Energy		F4E Barcelona	
ISSUER / SUPPLIER :		REV. VER.		SUBCONTRACTOR :		PBS.63.37.	
SHEET SIZE A3		SCALE N/A		DOC TYPE EXE DS		CONSTRUCTION DESIGN	
ISSUER ID DBC		DOC FAMILY 37		NUMBER 0046		Doors Specification - D0-0004 - P4	
N/A		37		0046		REVISION 04.0 03-20	

Note : See to Doors Schedules :
ARCHI-DBC-MRR-GL-37-0006