

DOOR SPECIFICATIONS

PIRTE METAL

Customer :



Chantier : Affaire 1390 : ITER
Bâtiment : B37

Level : Ground Floor L1

Door Number : 63-37-L1-DO-0007 - (P6)

Location : SAS HNB Hall 1



Clear Passage Wall :
Widht : 2000 mm
Height : 2785 mm

Real clear Passage Wall : Date : **/**/**

Clear passage Widht : (180°) : 925+920=1845mm
Clear passage Widht : (90°) : 1807 mm
Clear passage Height : 2687 mm (4)

Support : Metallic Structure
Ind 0 Date : 27/09/2021 Ind 2 Date : 19/05/2023
Ind 1 Date : 25/01/2023 Ind 3 Date : 30/06/2023
Ind 4 Date : 07/08/2023

Clear Passage Validated :
Widht : 2000 mm (4)
Height : 2765 mm



Repère	Equipments	Ref :	n° MSF
1	Handle to Stainless steel	PF1X	37-0025
2a	Panic Lock 3pts	TCAA	37-0026
2b	Panic Bar	BA1	37-0025
3	European Cylinder Lock 45x10	C2	
4	Cremone bolts	BA33	37-0029
5	Door closer (OPPOSIT Hinges)	TS83	37-0027
6	Close Selector	SF1	
7	1 Opening Detector NF42P / On each Leaf (1)	CPNFA	37-0028
8	KIT AEV (Resist 10 Pa)	AEV	(1)
9	2 End stop	AC14	(2)
10	2 Magnetic stop	9874M	(2)

Bon pour accord le : 8/08/23
Nom + Signature : SERRESSEQUE
Une validation est Définitive et aucune modification ne pourra être accordée.

SUPPLIER DRAWING NO. DBC_EXE_DS_37_0046 (a)		04		0	CONFIDENTIAL © Fusion for Energy 2008 Reproduction or distribution of this drawing is not authorized without the express written agreement of Fusion for Energy	F4E Barcelona
ISSUER / SUPPLIER :		SUBCONTRACTOR :		PHASE : CONSTRUCTION DESIGN TITLE : Doors Specification - DO-0007 - P6		
SHEET SIZE A3		SCALE N/A	ISSUER ID DBC	DOC TYPE EXE	DOC FAMILY DS	NUMBER 37
Note : See to Doors Schedules : ARCHI-DBC-MRR-GL-37-0006		REVISION 04.0		SHEETS 04-20		